

Suosituksen taustalla olevat tutkimukset

17. Am College of Obstetricians and Gynecologists Committee Opinion No. 363: patient testing: ethical issues in selection and counseling. ACOG Committee. *Obstetrics & Gynecology* 2007; 109:1021-1023.
18. Report of the Second Phase of the Independent Review of NHS Pathology Services in England. 2008. Chaired by Lord Carter of Coles (<http://www.dh.gov.uk./en>):27.
19. Prat G, Lefèvre M, Nowak E, Tonnelier J-M, Renault A, L´ Her E, Boles J -M. Impact of clinical guidelines to improve appropriateness of laboratory tests and chest radiographs. *Intensive Care Medicine* 2009; 35(6):1047-1053.
20. Wachtel TJ, O'Sullivan P. Practical guidelines to reduce testing in the hospital. *Journal of General Internal Medicine* 1990; 5(4):335-341.
21. Kachalia A, Gandhi TK, Puopolo AL, Yoon C, Thomas EJ, Griffey R, Brennan TA, Studdert DM. Missed and Delayed Diagnoses in the Emergency Department. A Study of Closed Malpractice Claims From 4 Liability Insurers. *Annals of Emergency Medicine* 2007; 49 (2):196-205.
22. Schmidt RL, Panlener J, Hussong JW. An Analysis of Clinical Consultation Activities in Clinical Pathology. Who Requests Help and Why. *American Journal of Clinical Pathology* 2014;142: 286-291.
23. Laki 1992/785. Laki potilaan asemasta ja oikeuksista. Valtion säädöstietopankki. <http://www.finlex.fi>.
24. Leino-Kilpi H, Nyrhinen T, Katajisto J. Patient's rights in laboratory Examination: do they realize. *Nursing Ethics* 1997; 4 (6): 451-464.
25. Fell JME, Rylance GW. Parental Permission, information, and consent. *Archives of Disease in Childhood* 1991; 66: 980-981.
26. Active Citizenship Network. 2007. Patients' Rights in Europe: Civic Information on the Implementation of the European Charter of Patients' Rights. Final Report. Edited by Alessandro Lamanna, Giovanni Moro, Melody Ross and, Ilaria Vannini: 91.
27. Skirton H, Goldsmith L, Jackson L, Lewis C and Chitty L. Offering prenatal diagnostic tests: European guidelines for clinical practice. *European Journal of Human Genetics*. 2014; 22: 580-586.
28. Nicholls SG and Southern KW. Informed Choice for Newborn Blood Spot Screening in the United Kingdom: A Survey of Parental Perceptions. *Pediatrics* 2012;130:e1527–1533.
29. Keränen T, Pasternack A. Tutkimuksessa vai hoidossa. *Duodecim* 2013; 129 (9): 959-965.
30. KanTa.Kanta-palvelut, <http://www.kunnat.net/fi/asiantuntijapalvelut/soster/nimikkeistot-luokitukset/laborioriotutkimusnimikkeisto/Sivut/default.aspx>
31. Hickner J, Thompson PJ, Wilkinson T, Epner P, Sheehan M, Pollock AM, Lee J, Duke CC, Jackson BR, Taylor JR. Primary Care Physicians' Challenges in Ordering Clinical Laboratory Tests and Interpreting Results. *Journal of The American Board of Family Medicine* 2014; 27 (2): 268-274.
32. Kunnamo I, Jousimaa J, Nyberg P. Tutkimustiedon keruuta helpottavat tietojärjestelmät. *Duodecim* 2014; 130 (10): 1024-1030.
33. Georgiou A, Prgomet M, Toouli G, Callen J, Westbrook J. What do physicians tell laboratories when requesting tests? A multi-method examination of information supplied to the Microbiology laboratory before and after the introduction of electronic ordering. *International Journal of Medical Informatics* 2011; 80 (9): 646-654.
34. Henneman PL, Ficher DL, Henneman EA, Pham TA, Talati R, Nathanson BH, Roche J. Providers Do Not Verify Patient Identity during Computer Order Entry. *Academic Emergency Medicine* 2008; 15 (7): 641-648.

35. Adelman JS, Kalkut GE, Schechter CB, Weiss JM, Berger, MA, Reissman SH, Lorenzen SJ, Burack D, South ern WN, Understanding and preventing wrong-patient electronic orders: a randomized controlled trial. *Journal of the American Medical Informatics Association* 2013;20(2):305-310.
36. Falcòn M, Rosario SM, Dolores PC, Aurelis L. Health-related information provided to patients attending a private clinic for laboratory tests in Spain. *Patient Education and Counseling* 2010; 78 (1): 134-137.
37. Tormo C, Lumbreras B, Santos A, Romero L, Conca M. Strategies for improving the collection of 24-hour urine for analysis in the clinical laboratory: redesigned instructions, opinion surveys, and application of reference change value to micturition. *Archives of pathology & laboratory medicine* 2009; 133 (12): 1954-1960.
38. Plumelle D, Lombard E, Nicolay A, Portugal H. Influence of diet and sample collection time on 77 laboratory tests on healthy adults. *Clinical Biochemistry* 2014; 47(1-2): 31-37.
39. Pasic MD, Colantonio DA, Chan MK, Venner AA, Brinc D, Adeli K. Influence of fasting and sample collection time on 38 biochemical markers in healthy children: A CALIPER substudy. *Clinical Biochemistry* 2012; 45 (15): 1125-1130.
40. Simundic AM, Cornes M, Grankvist K, Lippi G, Nybo M. Standardization of collection requirements for fasting samples: For the Working Group on Preanalytical Phase (WG-PA) of the European Federation of Clinical Chemistry and Laboratory Medicine (EFLM). *Clinica Chimica Acta* 2014; 432: 33-37.
41. Lima-Oliveira G, Salvagno GL, Lippi G, Gelati M, Montagnana M, Danese E, Picheth G, Guidi GC. Influence of a regular, standardized meal on clinical chemistry analytes. *Annals of Laboratory Medicine* 2012; 32(4):250-256.
42. Aldasouqi S, Sheikh A, Klosterman P, Kniestedt S, Schubert L, Danker R, Hershey DS. Hypoglycemia in patients with diabetes who are fasting for laboratory blood tests: The Cape Girardeau Hypoglycemia En Route Prevention Program. *Postgraduate Medical Journal* 2013; 125 (1); 136-143.
43. Sanchis-Gomar F, Lippi G. Physical activity – an important preanalytical variable. *Review. Biochemical Medicine* 2014; 24(1): 68-79.
44. Hammouda O, Chtourou H, Chahed H, Ferchichi S, Chaouachi A, Kallel C, Miled A, Chamari K, Soussi N. High intensity exercise affects diurnal variation of some biological markers in trained subjects. *International Journal of Sports Medicine* 2012; 33 (11): 886-891.
45. Romagnoli M, Alis R, Aloe R, Salvagno GL, Basterra J, Pareja-Galeano H, Sanchis-Gomar F, Lippi G. Influence of training and maximal exercise test in analytical variability of muscular, hepatic, and cardiovascular biochemical variables. *Scandinavian Journal of Clinical and Laboratory Investigation* 2014; 74 (3): 192-198.
46. Lippi G, Schena F, Montagnana M, Salvagno GL, Guidi GC. Influence of acute physical exercise on emerging muscular biomarkers. *Review. Clinical Chemistry and Laboratory Medicine* 2008; 46(9): 1313-1318.
47. Lääkkeen vaikutus laboratoriotutkimuksiin.
http://www.terveyskirjasto.fi/terveyskirjasto/tk.koti?p_artikkeli=inf04299
48. WHO. Patient Safety Solutions 2007;1 (2): 1-4
49. Söderberg J, Wallin O, Grankvist K, Brulin C. Is the test result correct? A questionnaire study of blood collection practices in primary health care. *Journal of Evaluation in Clinical practice* 2010; 16 (4): 707-711.
50. Snyder SR, Favoretto AM, Derzon JH, Christenson RH, Kahn SE, Shaw CS, Baetz RA, Mass D, Fantz CR, Raab SS, Tanasijevic MJ, Liebow EB. Effectiveness of barcoding for reducing patient

- specimen and laboratory testing identification errors: a Laboratory Medicine Best Practices systematic review and meta-analysis. *Clinical Biochemistry* 2012; 45(13-14): 988-998.
51. Dunn EJ, Moga PJ. Patient Misidentification in Laboratory Medicine: A Qualitative Analysis of Patient Misidentification in Laboratory Medicine: A Qualitative Analysis of 227 Root Cause Analysis Reports in the Veterans Health Administration. *Archives of Pathology & Laboratory Medicine* 2010; 134 (2): 244-255.
 52. Dhatt GS., Damir HA; Matarelli S, Sankaranarayanan K, James DM. Patient safety: patient identification wristband errors. *Clinical Chemistry and Laboratory Medicine* 2011; 49(5): 927-929.
 53. Hain PD, Joers B, Rush M, Slayton J, Throop P, Hoagg S, Allen L, Grantham J, Deshpande JK. An Intervention to decrease patient identification band errors in a children's hospital. *Quality & Safety in health care* 2010; 19(31): 244-247.
 54. Phillips SC, Saysana M, Worley S, Hain PD. Reduction in Periatric Identification Band Errors. A Quality Collaboration. *Pediatrics* 2012; 129:1587-1593.
 55. Kim JK, Dotson B, Thomas S, Nelson KC: Standardized patient identification and specimen labelling: A perspective analysis on improving patient safety. *Journal of the American Academy of Dermatology* 2013; 68(1): 53-56.
 56. Rees S, Stevens L, Mikelsons D, Darg T. Reducing Specimen Identification Errors. *Journal of Nursing Care Quality* 2012; 27 (3): 253-257.
 57. Seferian E G, Jamal S, Clark K, Cirricione M, Burnes-Bolton L, Amin M, Romanoff N, Klapper E. A multidisciplinary, multifaceted improvement initiative to eliminate mislabelled laboratory specimens at a large tertiary care hospital. *BMJ Quality & Safety* 2014 23: 690-697.
 58. Wagar EA, Tamashiro L, Yasin B, Hilborne L, Bruckner DA. Patient Safety in the Clinical Laboratory A Longitudinal Analysis of Specimen Identification Errors. *Archives of Pathology & Laboratory Medicine* 2008; 130: 1662-1668.
 59. Kackov S, Simundic A-M, Gatti-Drnic A. Are patients well informed about fasting requirements for laboratory blood testing? *Biochemica Medica* 2013: 23(3); 326-331.
 60. Oroza V. Maahanmuuttaja yleislääkärin vastaanotolla. *Duodecim* 2007; 123:441-447.
 61. Saniola-Rodriguez K. 2009. Transnationaalinen osaaminen – uusi terveydenhuoltohenkilöstön osaamisvaatimus. Väitöskirja. Kuopion yliopisto. Terveystalouden ja – talouden laitos.
 62. Bekeris LG, Jones BA, Walsh MK, Wagar EA. Urine culture contamination. A College of American Pathologists Q-Probes Study of 127 laboratories. *Archives of Pathology & Laboratory Medicine* 2008; 132: 913-917.
 63. Miler M, Simundic AM. Low level of adherence to instructions for 24-hour urine collection among hospital outpatients. *Biochemica Medica* 2013; 23: 316-320.
 64. Wilson ML. General Principles of Specimen Collection and Transport. *Clinical Infectious Diseases* 1996; 22: 766-777.
 65. Kouri T, Fogazzi G, Gant V, Hallander H, Hofmann W, Guder WG, editors. ECLM. European Urinalysis Guidelines. *Scandinavian Journal of Clinical and Laboratory Investigation* 2000; 60 (suppl 310): 1-96.
 66. Virtsatieinfektiot (online). Käypä hoito -suositus. Suomalaisen Lääkäriseuran Duodecimin, Suomen Nefrologiyhdistys ry:n, Kliiniset mikrobiologit ry:n, Suomen Infektiolääkärit ry:n, Suomen Kliinisen Kemian Erikoislääkäriyhdistys ry:n, Suomen Lastenlääkäriyhdistys ry:n, Suomen Urologiyhdistyksen ja Suomen yleislääketieteen yhdistys ry:n asettama työryhmä. Helsinki: Suomalainen Lääkäriseura Duodecim, 2013 (viitattu 29.4.2015). Saatavilla Internetissä: www.käypähoito.fi.
 67. Delanghe J, Speeckaert M. Preanalytical requirements of urinalysis. *Biochemica Medica* 2014; 24(1): 89–104.

Julkaisematon lähde

HUSLAB (Helsingin ja Uudenmaan sairaanhoitopiirin laboratoriolikelaite).
Laboratoriotutkimusten preanalyttisen vaiheen virheiden esiintyvyys vuosina 2011-2012
(julkaisulupa HUSLAB toimitusjohtaja Pia Aarnisalo 7.5.2014).