

Liite 1. Tutkimusten tiedonhaussa käytetyt hakulausekkeet

TIETOKANTA	KÄYTETTY HAKULAUSEKE JA KÄYTETYT RAJAUKSET	HAUN AJANKOHTA JA HAKUTULOS
Medline	(MM "Patient Discharge") OR (MM "Patient Discharge Summaries") AND (MH "Aged") OR (MH "Frail Elderly") OR (MH "Aged, 80 and over") AND (MH "Risk") OR (MH "Risk Assessment") OR (MH "Risk Factors") OR (MH "Risk Management") OR (MH "Risk Adjustment") Aikarajaus: 2008–2018	Haku 17.10.2018 Yhteensä 634 viitettä
Medline	(MM "Patient Discharge") OR (MM "Patient Discharge Summaries") AND (MH "Aged") OR (MH "Frail Elderly") OR (MH "Aged, 80 and over") AND (MH "Needs Assessment") OR (MH "Geriatric Assessment") Aikarajaus: 2008–2018	Haku 17.10.2018 Yhteensä 178 viitettä
Medline	TI (aged or elder* or senior* or "older people" or "older adult*" or geriatric or gerontolog*) AND TI discharge AND (risk* or need* or safety or assessment) Aikarajaus: 2014–2018	Haku 17.10.2018 Yhteensä 129 viitettä
Medline	(MM "Patient Discharge") OR (MM "Patient Discharge Summaries") AND (MM "Crisis Intervention") OR (MM "Early Medical Intervention") OR (MM "Treatment Outcome") OR (MM "Patient Outcome Assessment") OR (MM "Outcome Assessment (Health Care)") OR (MM "Practice Guidelines as Topic") AND (MH "Aged") OR (MH "Frail Elderly") OR (MH "Aged, 80 and over") Aikarajaus: 2008–2018	Haku 24.10.2018 Yhteensä 109 viitettä
Medline	(aged or elder* or senior* or "older people" or "older adult*" or geriatric or gerontolo*) AND TI discharge AND (intervention* or outcome* or strateg* or "best practice**") Aikarajaus: 2017–2018	Haku 24.10.2018 Yhteensä 415 viitettä
Medline	(MM "Patient Discharge") OR (MM "Patient Discharge Summaries") AND (MH "Aged") OR (MH "Frail Elderly") OR (MH "Aged, 80 and over") AND (MH "Patient Education as Topic") OR (MH "Counseling") Aikarajaus: 2008–2018	Haku 24.10.2018 Yhteensä 123 viitettä

Medline	(aged or elder* or senior* or "older adult*" or "older people" or geriatric or gerontol*) AND TI discharge AND ("patient education" or "patient teaching" or counsel* or guidance or "patient information") Aikarajaus: 2014–2018	Haku 24.10.2018 Yhteensä 130 viitettä
Medline	(MM "Patient Discharge") OR (MM "Patient Discharge Summaries") AND (MH "Aged") OR (MH "Frail Elderly") OR (MH "Aged, 80 and over") AND (MH "Activities of Daily Living") Aikarajaus: 2008–2018	Haku 1.11.2018 Yhteensä 172 viitettä
Medline	TI (aged or elder* or senior* or "older people" or "older adult*" or geriatric or gerontolog*) AND AB discharge AND ("activities of daily living" or adl or dressing or bathing or feeding or hygiene or toileting or "coping at home" or "functional ability" or "functional capacity" or "physical function" or "functional status") NOT TI (aged or elder* or senior* or "older people" or "older adult*" or geriatric or gerontolog*) AND TI discharge AND ("activities of daily living" or adl or dressing or bathing or feeding or hygiene or toileting or "coping at home" or "functional ability" or "functional capacity" or "physical function" or "functional status") Aikarajaus: 2014–2018	Haku 1.11.2018 Yhteensä 289 viitettä
Medline	(MM "Patient Discharge") OR (MM "Patient Discharge Summaries") AND (MH "Aged") OR (MH "Frail Elderly") OR (MH "Aged, 80 and over") AND (MH "Personal Satisfaction") OR (MH "Patient Satisfaction") OR (MH "Feedback") OR (MH "Attitude") Aikarajaus: 2008–2018	Haku 2.11.2018 Yhteensä 119 viitettä
Medline	discharge AND satisfaction or opinion* or perception* or contentment or feedback or experience* or attitude* AND TI aged or elder* or senior* or "older people" or "older adult*" or geriatric or gerontol* Aikarajaus: 2014–2018	Haku 2.11.2018 Yhteensä 257 viitettä
Medline	(MM "Patient Discharge") OR (MM "Patient Discharge Summaries") AND (MH "Aged") OR (MH "Frail Elderly") OR (MH "Aged, 80 and over") AND	Haku 5.11.2018 Yhteensä 353 viitettä

	(MH "Patient Care Planning") OR (MH Continuity of Patient Care") OR (MH "Aftercare") OR (MH "Health Services for the Aged") Aikarajaus: 2008–2018	
Medline	TI (aged or elder* or senior* or "older adult*" or "older people" or geriatric or gerontolog*) AND discharge AND ("care plan*" or "continuity of patient care" or "patient care*") Aikarajaus: 2014–2018	Haku 5.11.2018 Yhteensä 121 viitettä
Medline	(MM "Patient Discharge") OR (MM "Patient Discharge Summaries") AND (MH "Aged") OR (MH "Frail Elderly") OR (MH "Aged, 80 and over") AND (MH "Professional-Family Relations") OR (MH "Family") OR (MH "Spouses") Aikarajaus: 2008–2018	Haku 5.11.2018 Yhteensä 47 viitettä
Medline	TI (aged or elder* or senior* or "older adult*" or "older people" or geriatric or gerontolog*) AND discharge AND ("family participation" or "family involvement" or family or relatives) Aikarajaus: 2014–2018	Haku 5.11.2018 Yhteensä 170 viitettä
Medline	(MM "Patient Discharge") OR (MM "Patient Discharge Summaries") AND (MH "Aged") OR (MH "Frail Elderly") OR (MH "Aged, 80 and over") AND (MH "Home Care Services") OR (MH "Home Nursing") Aikarajaus: 2008–2018	Haku 5.11.2018 Yhteensä 167 viitettä
Medline	TI (aged or elder* or senior* or "older adult*" or "older people" or geriatric or gerontol*) AND discharge AND ("home care" or "home nursing" or "home health care" or "home care service") Aikarajaus: 2014–2018	Haku 5.11.2018 Yhteensä 76 viitettä
Medline	(MM "Patient Discharge") OR (MM "Patient Discharge Summaries") AND (MH "Aged") OR (MH "Frail Elderly") OR (MH "Aged, 80 and over") AND (MH "Quality of Life") Aikarajaus: 2008–2018	Haku 11.12.2018 Yhteensä 109 viitettä
Medline	TI (aged or elder* or senior* or "older adult*" or "older people" or geriatric or gerontolog*) AND discharge AND ("quality of life" or "well being" or wellness)	Haku 11.12.2018 Yhteensä 137 viitettä

	Aikarajaus: 2014–2018	
Medline	(MM "Patient Discharge") OR (MM "Patient Discharge Summaries") AND (MH "Aged") OR (MH "Frail Elderly") OR (MH "Aged, 80 and over") AND (MH "Social Support") Aikarajaus: 2008–2017	Haku 11.12.2018 Yhteensä 65 viitettä
Medline	TI (aged or elder* or senior* or "older people" or "older adult*" or geriatric or gerontolog*) AND discharge* AND support* Aikarajaus: 2014–2018	Haku 11.12.2018 Yhteensä 245 viitettä
PsycInfo	discharge.m_titl. AND (aged or elder* or senior* or older adult* or "older people" or geriatric or gerontolog*).m_titl. Aikarajaus 2008-2018	Haku 5.11.2018 Yhteensä 745 viitettä
Medic	kotiut* AND iäk* vanhu* senior* ikään* ikäih* geriat* gerontol* Aikarajaus 2008-2018	Haku 21.6.2018 Yhteensä 49 viitettä
ProQuest	ti(aged OR elder* OR senior* OR "older adult*" OR "older people" OR geriatric OR gerontolog*) AND ti(discharge) Aikarajaus 2008-2018	Haku 5.11.2018 Yhteensä 134 viitettä
Cinahl	(MH "Aged") OR (MH "Aged, 80 and Over") OR (MH "Aged, Hospitalized") OR (MH "Frail Elderly") AND (MM "Patient Discharge") OR (MM "Discharge Planning") OR (MM "Early Patient Discharge") OR (MM "Patient Discharge Education") AND (MH "Risk Assessment") OR (MH "Risk Factors") OR (MH "Fall Risk Assessment Tool") OR (MH "Patient Safety") OR (MH "Safety") OR (MH "Needs Assessment") OR (MH "Patient Assessment") OR (MH "Geriatric Assessment") OR (MH "Geriatric Functional Assessment") Aikarajaus 2008-2018	Haku 21.8.2018 Yhteensä 386 viitettä
Cinahl	TI (aged or elder* or senior* or "older people" or "older adult*" or geriatric or gerontol*) AND TI discharge AND (risk* or need* or safety or assessment) NOT (MH "Aged") OR (MH "Aged, 80 and Over") OR (MH "Aged, Hospitalized") OR (MH "Frail Elderly") AND (MM "Patient Discharge") OR (MM "Discharge Planning") OR (MM "Early Patient Discharge") OR (MM "Patient Discharge Education") AND (MH "Risk Assessment") OR (MH "Risk Factors") OR (MH "Fall Risk Assessment Tool") OR (MH "Patient Safety") OR (MH "Safety") OR (MH "Needs	Haku 21.8.2018 Yhteensä 63 viitettä

	Assessment") OR (MH "Patient Assessment") OR (MH "Geriatric Assessment") OR (MH "Geriatric Functional Assessment") Aikarajaus 2014-2018	
Cinahl	(MH "Aged") OR (MH "Aged, 80 and Over") OR (MH "Aged, Hospitalized") OR (MH "Frail Elderly") AND (MM "Patient Discharge") OR (MM "Discharge Planning") OR (MM "Early Patient Discharge") OR (MM "Patient Discharge Education") AND (MH "Crisis Intervention") OR (MH "Outcome Assessment") OR (MH "Outcomes (Health Care)") OR (MH "Treatment Outcomes") Aikarajaus 2008-2018	Haku 21.8.2018 Yhteensä 262 viitettä
Cinahl	(MH "Aged") OR (MH "Aged, 80 and Over") OR (MH "Aged, Hospitalized") OR (MH "Frail Elderly") AND (MM "Patient Discharge") OR (MM "Discharge Planning") OR (MM "Early Patient Discharge") OR (MM "Patient Discharge Education") AND (MH "Crisis Intervention") OR (MH "Outcome Assessment") OR (MH "Outcomes (Health Care)") OR (MH "Treatment Outcomes") OR TI (aged or elder* or senior* or "older people" or "older adult*") AND TI discharge AND (intervention* or outcome* or strateg* or "best practice*") Aikarajaus 2014-2018	Haku 21.8.2018 Yhteensä 297 viitettä
Cinahl	(MH "Aged") OR (MH "Aged, 80 and Over") OR (MH "Aged, Hospitalized") OR (MH "Frail Elderly") AND (MM "Patient Discharge") OR (MM "Discharge Planning") OR (MM "Early Patient Discharge") OR (MM "Patient Discharge Education") AND (MH "Patient Education") OR (MH "Counseling") Aikarajaus 2008-2018	Haku 23.8.2018 Yhteensä 51 viitettä
Cinahl	(MH "Aged") OR (MH "Aged, 80 and Over") OR (MH "Aged, Hospitalized") OR (MH "Frail Elderly") AND (MM "Patient Discharge") OR (MM "Discharge Planning") OR (MM "Early Patient Discharge") OR (MM "Patient Discharge Education") AND (MH "Patient Education") OR (MH "Counseling") OR TI (aged or elder* or senior* or "older people" or geriatric* or gerontol*) AND ("patient education" or "patient teaching" or counsel* or guidance or "patient information") AND discharge	Haku 23.8.2018 Yhteensä 76 viitettä

	Aikarajaus 2014-2018	
Cinahl	(MM "Discharge Planning") OR (MM "Patient Discharge") OR (MM "Early Patient Discharge") OR (MM "Patient Discharge Education") AND (MM "Prospective studies") OR (MM "Concurrent Prospective studies") OR (MM "Nonconcurrent Prospective studies") AND (MH "Aged") OR (MH "Aged, 80 and Over") OR (MH "Aged, Hospitalized") OR (MH "Frail Elderly") Aikarajaus 2008-2018	Haku 23.8.2018 Yhteensä 326 viitettä
Cinahl	(aged or elder* or senior* or "older people" or geriatric* or gerontol*) AND TI discharge AND "follow-up" Aikarajaus 2014-2018	Haku 23.8.2018 Yhteensä 92 viitettä
Cinahl	(MM "Discharge Planning") OR (MM "Patient Discharge") OR (MM "Early Patient Discharge") OR (MM "Patient Discharge Education") AND (MH Activites of daily living+ ") AND (MH "Aged") OR (MH "Aged, 80 and Over") OR (MH "Aged, Hospitalized") OR (MH "Frail Elderly") OR (MH "functional assessment") Aikarajaus 2008-2018	Haku 27.9.2018 Yhteensä 110 viitettä
Cinahl	TI (aged or elder* or senior* or "older people" or geriatric* or gerontol*) AND discharge AND "activities of daily living or adl or iadl or dressing or bathing or feeding or hygienie or toileting or "coping at home" or "living at home" or "functional ability" or "functional capacity" or "physical function" or "functional status" Aikarajaus 2014-2018	Haku 27.9.2018 Yhteensä 173 viitettä
Cinahl	(MH "patient satisfaction") OR ("consumer satisfaction") OR ("feedback") AND (MM "Discharge Planning") OR (MM "Patient Discharge") OR (MM "Early Patient Discharge") OR (MM "Patient Discharge Education") AND (MH "Aged") OR (MH "Aged, 80 and Over") OR (MH "Aged, Hospitalized") OR (MH "Frail Elderly") Aikarajaus 2008-2018	Haku 9.10.2018 Yhteensä 81 viitettä
Cinahl	TI (aged or elder* or senior* or "older people" or geriatric* or gerontol*) AND discharge AND (satisfaction or opinion* or contentment or feedback or perception*) OR (MH "patient satisfaction") OR ("consumer satisfaction") OR ("feedback") AND (MM "Discharge Planning") OR (MM "Patient Discharge") OR (MM "Early Patient Discharge")	Haku 9.10.2018 Yhteensä 113 viitettä

	OR (MM "Patient Discharge Education") AND (MH "Aged") OR (MH "Aged, 80 and Over") OR (MH "Aged, Hospitalized") OR (MH "Frail Elderly") Aikarajaus 2014-2018	
Cinahl	(MH "Patient Care Plans" OR ("Nursing Care Plans, computerized") OR (MH "Nursing Care Plans") AND (MM "Discharge Planning") OR (MM "Patient Discharge") OR (MM "Early Patient Discharge") OR (MM "Patient Discharge Education") AND (MH "Aged") OR (MH "Aged, 80 and Over") OR (MH "Aged, Hospitalized") OR (MH "Frail Elderly") Aikarajaus 2008-2018	Haku 11.10.2018 Yhteensä 32 viitettä
Cinahl	TI (aged or elder* or senior* or "older people" or geriatric* or gerontol*) AND discharge AND "care plan" Aikarajaus 2014-2018	Haku 11.10.2018 Yhteensä 30 viitettä
Cinahl	(MH "Home Health Care") OR (MH "Home Nursing") OR (MH "Home Rehabilitation") OR (MH "Home Occupational Therapy") OR (MH "Home Physical Therapy") AND (MM "Discharge Planning") OR (MM "Patient Discharge") OR (MM "Early Patient Discharge") AND (MH "Aged") OR (MH "Aged, 80 and Over") OR (MH "Aged, Hospitalized") OR (MH "Frail Elderly") Aikarajaus 2008-2018	Haku 11.10.2018 Yhteensä 94 viitettä
Cinahl	TI (aged or elder* or senior* or "older people" or geriatric* or gerontolog*) AND discharge AND ("home care" or "home health care" or "home nursing") OR (aged or elder* or senior* or "older people" or geriatric* or gerontolog*) AND TI discharge AND ("home care" or "home health care" or "home nursing") Aikarajaus 2014-2018	Haku 11.10.2018 Yhteensä 73 viitettä
Cinahl	(MM "Discharge Planning") OR (MM "Patient Discharge") OR (MM "Early Patient Discharge") AND (MH "Aged") OR (MH "Aged, 80 and Over") OR (MH "Aged, Hospitalized") OR (MH "Frail Elderly") AND (MH "Professional-Family Relations") OR (MH "Family Role") Aikarajaus 2008-2018	Haku 11.10.2018 Yhteensä 38 viitettä
Cinahl	TI (aged or elder* or senior* or "older people" or geriatric* or gerontolog*) AND discharge AND (participation or	Haku 11.10.2018



Hotus

Hoitotyön tutkimussäätiö

Hotus-hoitosuositus:
lääkään henkilön turvallinen kotiutuminen
Hakustrategia

	involvement or role or collaborati* or partner*) AND (family or relatives) Aikarajaus 2014-2018	Yhteensä 22 viitettä
--	--	----------------------